

L Number	Hits	Search Text	DB	Time stamp
1	511	341/118,120,144.ccls. and ((temperature\$1 or voltage\$1) with (sens\$5 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 21:23
2	5	341/118,120,144.ccls. and ((temperature\$1 or voltage\$1) with (sens\$5 or detect\$3) with (full near3 scal\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 21:26
3	39	(analog near2 digital) same ((temperature\$1 or voltage\$1) with (sens\$5 or detect\$3) with (full near3 scal\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 20:09
4	23	341/\$.ccls. and((temperature\$1 or voltage\$1) with (sens\$5 or detect\$3) with (full near3 scal\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 20:09
5	23	341/\$.ccls. and ((temperature\$1 or voltage\$1) with (sens\$5 or detect\$3) with (full near3 scal\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 20:12
6	19	341/\$.ccls. and ((temperature\$1 or voltage\$1) same (sens\$5 or detect\$3) same (full near3 scal\$3) same ((digital adj analog) or DAC or DA or 'd/a' or 'D/A'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 20:13
7	3	702/130,132,99.ccls. and (((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 same latch\$2 same decod\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 21:22
8	582	341/118,120,139,144.ccls. and ((temperature\$1 or voltage\$1) with (sens\$5 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 21:25
9	9	341/118,120,139,144.ccls. and ((temperature\$1 or voltage\$1) with (sens\$5 or detect\$3) with (full near3 scal\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 21:26
10	0	326/\$.ccls. and (digital adj analog) and temperature and (sens\$3 or detect\$3) and (current near driver) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 21:29
11	0	327/\$.ccls. and (digital adj analog) and temperature and (sens\$3 or detect\$3) and (current near driver) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 21:29
-	1	341/144.ccls. and PVC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/04 08:26
-	0	341/144.ccls. and PVT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/04 08:37
-	28	341/144.ccls. and ((Voltage or temperature) near sens\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/04 08:33

-	40	341/144.ccls. and ((Voltage or temperature) near (detect\$3 or sens\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 09:07
-	12	(341/144.ccls. and ((Voltage or temperature) near (detect\$3 or sens\$5))) not (341/144.ccls. and ((Voltage or temperature) near sens\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 08:35
-	9666	(dac or da or d/a or (digital adj analog)) and ((Voltage or temperature) near (detect\$3 or sens\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 09:30
-	3	((dac or da or d/a or (digital adj analog)) and ((Voltage or temperature) near (detect\$3 or sens\$5))) and (current near mode\$1 near driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 09:16
-	206	((dac or da or d/a or (digital adj analog)) and ((Voltage or temperature) near (detect\$3 or sens\$5))) and (current near driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 09:16
-	167	((((dac or da or d/a or (digital adj analog)) and ((Voltage or temperature) near (detect\$3 or sens\$5))) and (current near driver)) and predeterm\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 16:51
-	954	(dac or da or d/a or (digital adj analog)) and ((Voltage and temperature) near (detect\$3 or sens\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 09:34
-	779	((dac or da or d/a or (digital adj analog)) and ((Voltage and temperature) near (detect\$3 or sens\$5))) and predeterm\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 09:35
-	41	((((dac or da or d/a or (digital adj analog)) and ((Voltage and temperature) near (detect\$3 or sens\$5))) and predeterm\$4) and (current near driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 15:33
-	3	5254883.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:07
-	2	6006169.pn. and predeterm\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 15:34
-	19	((((dac or da or d/a or (digital adj analog)) and ((Voltage or temperature) near (detect\$3 or sens\$5))) and (current near driver)) and predeterm\$4 and (pll or (phase adj lock adj loop)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 16:59
-	0	("6265857 and loop").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:00
-	0	6265857.pn. and loop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:01

-	1	4899152.pn. and loop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:01
-	1	6204785.pn. and loop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:09
-	0	4647907.pn. and loop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:10
-	2	341/\$.ccls. and ((compensat\$3 or calibrat\$3) near circuit) and (current near source) and temperature and (ppl or (phase adj lock adj loop) or (delay adj lock adj loop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:19
-	6	(temperature near (sens\$5 or detect\$3)) with (ppl or phase adj lock adj loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:28
-	20	(temperature near (sens\$5 or detect\$3)) with (ppl or phase adj lock\$2 adj loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 18:29
-	14	((temperature near (sens\$5 or detect\$3)) with (ppl or phase adj lock\$2 adj loop)) not ((temperature near (sens\$5 or detect\$3)) with (ppl or phase adj lock adj loop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:41
-	3	"5798667" and temperature\$1 and PLL and phase	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:43
-	1	"5798667".pn. and temperature\$1 and PLL and phase	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 17:43
-	0	(temperature near (sens\$5 or detect\$3)) with (delay\$2 adj lock\$2 adj loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 18:32
-	0	(temperature near (sens\$5 or detect\$3)) same (delay\$2 adj lock\$2 adj loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/04 18:32
-	12	(temperature near (sens\$5 or detect\$3)) and (delay\$2 adj lock\$2 adj loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/05 07:20
-	0	6265857.pn. and capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/05 07:20
-	0	6265857.pn. and capacitors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/05 07:41

-	1780	(temperature\$1 near sens\$5 or detect\$3) same ( switch\$3 near capacitor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 07:45
-	81	(temperature\$1 near (sens\$5 or detect\$3)) same ( switch\$3 near capacitor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 10:50
-	228	((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 near line\$1) and latch\$2 and decod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 11:09
-	1	((temperature\$1 or voltage) near (sens\$5 or detect\$3)) same (delay\$2 near line\$1) same latch\$2 same decod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 11:06
-	11	341/\$.ccls. and (((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 same latch\$2 same decod\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 11:15
-	225	((((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 same latch\$2 same decod\$3)) not (341/\$.ccls. and (((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 same latch\$2 same decod\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 11:16
-	90	((((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 same latch\$2 same decod\$3)) not (341/\$.ccls. and (((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 same latch\$2 same decod\$3)))) and (calibrat\$3 or compensat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 11:17
-	236	((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 same latch\$2 same decod\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 12:06
-	74	(temperature\$1 near (sens\$5 or detect\$3)) and (delay\$2 same latch\$2 same decod\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 14:41
-	2	6006169.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 14:42
-	1	6006169.pn. and bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 17:11
-	634	702/130,132,99.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/05 17:11
-	3	702/130,132,99.ccls. and (((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 same latch\$2 same decod\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 21:22

-	1	702/130,132,99.ccls. and (((temperature\$1 or voltage) near (sens\$5 or detect\$3)) and (delay\$2 near line\$1) and latch\$2 and decod\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/05 17:14
-	1763	341/144.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/05 17:15
-	42	341/144.ccls. and ((temperature\$1 or voltage\$1) near (sens\$5 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/05 17:19
-	1651	341/118,120.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/05 17:19
-	114	341/118,120.ccls. and ((temperature\$1 or voltage\$1) near (sens\$5 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/06/11 10:02
-	12	341/143,155.ccls. and ((voltage\$1 and temperature) near (sens\$5 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/25 15:14
-	5	341/118,120,143,155.ccls. and ((voltage\$1 and temperature) and (sens\$5 or detect\$3)) and (full near scale) and (current near mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/25 16:23
-	2	341/118,120,144.ccls. and ((voltage\$1 and temperature) and (sens\$5 or detect\$3)) and (full near scale) and (current near mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/25 16:26
-	1	digital adj analog.ti. and ((voltage\$1 and temperature) and (sens\$5 or detect\$3)) and (full near scale) and (current near mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 07:33
-	2	341/118,120,144.ccls. and (voltage\$1 and temperature) and (sens\$5 or detect\$3) and (full near scale) and (current near mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 10:43
-	15	341/\$.ccls. and (voltage\$1 and temperature) and (sens\$5 or detect\$3) and (full near scale) and (current near mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 07:48
-	0	341/118,120,144.ccls. and (voltage\$1 and temperature) and (sens\$5 or detect\$3) and (full near scale) and (current with driver with mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 10:44
-	80	341/118,120,144.ccls. and (voltage\$1 and temperature) and (sens\$5 or detect\$3) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 10:52
-	3	341/118,120,144.ccls. and voltage\$1 and temperature and (sens\$5 or detect\$3) and (full near scale) and (current near control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 11:01

-	2	5254883.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 11:02
-	0	5254883.pn. and (full near scale) and sens\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 11:03
-	0	5254883.pn. and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 12:55
-	112	sensing with (phase near lock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 13:05
-	1108	(temperature or voltage) with (sensing or detect\$3) with (phase near lock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 13:12
-	216	(temperature or voltage) near2 (sensing or detect\$3) with (phase near lock)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 13:14
-	154	(temperature or voltage) near2 (sensing or detect\$3) with (phase near lock near loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 13:20
-	8	((temperature) near2 (sensing or detect\$3)) with (phase near lock near loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 13:21
-	19	((temperature) with (sensing or detect\$3)) with (phase near lock near loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 15:16
-	2	5254883.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 15:26
-	2	5254883.pn. and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 15:32
-	18842	326/\$.ccls. or 327/\$.ccls. and (digital adj analog) and temperature and (sens\$3 or detect\$3) and (current near mode near driver) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 15:35
-	0	326/\$.ccls. and (digital adj analog) and temperature and (sens\$3 or detect\$3) and (current near mode near driver) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/22 21:27
-	0	327/\$.ccls. and (digital adj analog) and temperature and (sens\$3 or detect\$3) and (current near mode near driver) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/26 15:36

-	3	327/\$.ccls. and (digital adj analog) and temperature and (sens\$3 or detect\$3) and (current with driver) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/26 15:45
-	1	326/\$.ccls. and (digital adj analog) and temperature and (sens\$3 or detect\$3) and (current with driver) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/26 15:44
-	32	(digital adj analog) and (temperature with voltage) and (sens\$3 or detect\$3) and (current with driver) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/26 16:01
-	32	(digital adj analog) and (temperature with voltage) and (sens\$3 or detect\$3) and (current with driver) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/26 16:13
-	207	(digital adj analog) and (temperature with voltage) and (sens\$3 or detect\$3) and (current mode) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/26 16:21
-	18	(digital adj analog) and (temperature with voltage) and (sens\$3 or detect\$3) and (current near mode) and (full near scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 06:34
-	1	6006169.pn. and digital	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 06:40
-	4	341/118,120,144.ccls. and full near scale and temperature and (current near mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 06:51
-	45	341/118,120,144.ccls. and full near scale and temperature and (current near source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 09:29
-	7	341/144.ccls. and (calibrat\$3 with (power near2 up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 09:30